WHAT IS CLAIMED IS:

- 1. An electrochemical cell comprising an anode comprising anode active material, an aqueous alkaline electrolyte solution, a separator, and a cathode comprising copper hydroxide, graphitic carbon and a sulfur additive selected from the group consisting of sulfur and sulfur compounds.
- 2. An electrochemical cell comprising an anode comprising anode active material, an aqueous alkaline electrolyte solution, a separator, and a cathode comprising copper hydroxide, graphitic carbon and sulfur.
- 3. An electrochemical cell comprising an anode comprising anode active material, an aqueous alkaline electrolyte solution, a separator, and a cathode comprising copper hydroxide additive, sulfur, and expanded graphite.
- 4. The cell of claim 3 wherein the cathode comprises said copper hydroxide additive and a portion of said aqueous alkaline solution.
- 5. The cell of claim 3 wherein the anode active material comprises zinc.
- 6. The cell of claim 3 wherein the electrolyte solution comprises potassium hydroxide.
- 7. The cell of claim 3 wherein said expanded graphite comprises between about 3 and 10 percent by weight of the cathode.
- 8. The cell of claim 3 wherein the cathode comprises between about 1 and 15 percent by weight sulfur.

- 9. The cell of claim 3 wherein said copper hydroxide additive comprises at least 90.0 percent by weight copper hydroxide.
- 10. The cell of claim 3 wherein said copper hydroxide additive comprises between 90.0 and 99 percent by weight copper hydroxide.
- 11. The cell of claim 9 wherein the cathode comprises between about 65 and 90 percent by weight copper hydroxide.
- 12. The cell of claim 3 wherein the copper hydroxide additive is in particulate form having an average particle size between about 1 and 100 micron.
- 13. The cell of claim 3 wherein the cathode comprises less than 100 parts total of iron and chromium per million parts by weight of said cathode.
- 14. The cell of claim 3 wherein said cell comprises less than 50 parts by weight mercury per million parts total cell weight.
- 15. An electrochemical cell comprising an anode comprising anode active material, an aqueous alkaline electrolyte solution, a separator, and a cathode comprising copper hydroxide additive, carbon nanofibers and sulfur.
- 16. The cell of claim 15 wherein the cathode comprises said copper hydroxide additive and a portion of said aqueous alkaline solution.
- 17. The cell of claim 15 wherein the anode active material comprises zinc.

- 18. The cell of claim 15 wherein the electrolyte solution comprises potassium hydroxide.
- 19. The cell of claim 15 wherein said carbon nanofibers have a mean average diameter between about 50 and 300 nanometers.
- 20. The cell of claim 15 wherein said carbon nanofibers have a mean average length between about 0.5 and 300 micron.
- 21. The cell of claim 15 wherein said carbon nanofibers comprises less than 200 million parts by weight metal per million parts carbon.
- 22. The cell of claim 15 wherein said carbon nanofibers comprises between about 3 and 10 percent by weight of the cathode.
- 23. The cell of claim 15 wherein said carbon nanofibers are graphitic carbon nanofibers.
- 24. The cell of claim 15 wherein the cathode comprises between about 1 and 15 percent by weight sulfur.
- 25. The cell of claim 15 wherein said copper hydroxide additive comprises at least 90.0 percent by weight copper hydroxide.
- 26. The cell of claim 15 wherein said copper hydroxide additive comprises between 90.0 and 99 percent by weight copper hydroxide.
- 27. The cell of claim 25 wherein the cathode comprises between about 65 and 90 percent by weight copper hydroxide.

- 28. The cell of claim 15 wherein the copper hydroxide additive is in particulate form having an average particle size between about 1 and 100 micron.
- 29. The cell of claim 15 wherein the cathode comprises less than 100 parts total iron and chromium per million parts by weight of said cathode.
- 30. The cell of claim 15 wherein said cell comprises less than 50 parts by weight mercury per million parts total cell weight.